



Stark Performance!

Industrial-Line



2016

Industrial-Line

PLANNEX

A close-up photograph of a blue industrial machine component, likely a part of a cutting or grinding tool. The component has a circular opening and several technical markings. The word 'PLANNEX' is visible on the top surface. Below it, there is a circular area with the word 'STAR' and some numbers. The background is a light blue gradient.

Stark Performance!

Industrial-Line

01 | 2016
NET PRICES

ONE STEP AHEAD

Stark Performance!

Industrial-Line

TH73FS PLANNEX

PLANING CUTTERHEAD WITH REVERSIBLE KNIVES

Planning cutterhead with patented quick knife replace system

The patented centrifugal fixing system allows fast and precise knife change.

The planning cutterheads are equipped with HS knives.

HW knives are available on request.






PLANNEX TH73 PLANERS INCLUDING HSS KNIVES		
TH73FS12	125 x 80 x 40 Z4	
TH73FS13	125 x 100 x 40 Z4	
TH73FS14	125 x 120 x 40 Z4	
TH73FS15	125 x 130 x 40 Z4	
TH73FS16	125 x 150 x 40 Z4	
TH73FS26	125 x 160 x 40 Z4	
TH73FS17	125 x 170 x 40 Z4	
TH73FS18	125 x 180 x 40 Z4	
TH73FS19	125 x 190 x 40 Z4	
TH73FS20	125 x 230 x 40 Z4	
TH73FS21	125 x 240 x 40 Z4	
TH73FS28	125 x 250 x 40 Z4	



Planing knives **HS M42 HW**

HSS CT080S PLANNEX SPARE KNIVES		NET PRICES		
		1-10 pcs	11-40 pcs.	over 50 pcs.
CT080S01	80x14x2,2			
CT080S02	100x14x2,2			
CT080S03	120x14x2,2			
CT080S04	130x14x2,2			
CT080S05	140x14x2,2			
CT080S06	150x14x2,2			
CT080S14	160x14x2,2			
CT080S07	170x14x2,2			
CT080S08	180x14x2,2			
CT080S09	190x14x2,2			
CT080S11	230x14x2,2			
CT080S12	240x14x2,2			
CT080S15	250x14x2,2			

HM INTEGRAL CT080M PLANNEX SPARE KNIVES		NET PRICES		
		1-10 pcs	11-40 pcs.	over 50 pcs.
CT080M01	80x14x2,2			
CT080M02	100x14x2,2			
CT080M03	120x14x2,2			
CT080M04	130x14x2,2			
CT080M05	140x14x2,2			
CT080M06	150x14x2,2			
CT080M14	160x14x2,2			
CT080M07	170x14x2,2			
CT080M08	180x14x2,2			
CT080M09	190x14x2,2			
CT080M11	230x14x2,2			
CT080M12	240x14x2,2			
CT080M15	250x14x2,2			



DEVICE FOR RESHRPENING
PLANNEX KNIVES


Stark Performance!

Industrial-Line

TH78FS PLANNEX

PLANING AND BEVELLING CUTTERHEAD



Light alloy planing cutter head fitted with HS reversible knives combined with adjustable profiled carbide knives. Suitable for planing and profiling on automated moulding- and profiling machines in one single working step. The profiled knives are adjustable along the entire width of the tool. Planers fitted with HS planing knives, HW execution on request.



PLANNEX TH78 BEVELLING AND PLANERS INCLUDING HSS KNIVES AND 2+2 HM INSERTS AND COMPONENTS				
TH78FS01	125 x 130 x 40 Z4 S2+2			
TH78FS03	125 x 230 x 40 Z4 S2+2			


Planing knives

HS M42 HW



DEVICE FOR RESHARPENING
PLANNEX KNIVES

Backing plates HW knives



HSS CT080S PLANNEX SPARE KNIVES		NET PRICES		
		1-10 pcs	11-40 pcs.	over 50 pcs.
CT080S04	130x14x2,2			
CT080S11	230x14x2,2			

HM INTEGRAL CT080M PLANNEX SPARE KNIVES		NET PRICES		
		1-10 pcs	11-40 pcs.	over 50 pcs.
CT080M04	130x14x2,2			
CT080M11	230x14x2,2			

HM INTEGRAL PLANNEX SPARE INSERTS		NET PRICES		
		1-4 pcs.	6-12 pcs.	over 13 pcs.
601815	top bevel 45°			
601816	bottom bevel 45°			

HM INTEGRAL PLANNEX SPARE INSERTS		NET PRICES		
		1-4 pcs.	6-12 pcs.	over 13 pcs.
601801	top R 3			
601803	top R 4			
601805	top R 5			
601807	top R 6			
601809	top R 8			
601811	top R 10			
601802	bottom R 3			
601804	bottom R 4			
601806	bottom R 5			
601808	bottom R 6			
601810	bottom R 8			
601812	bottom R 10			

TS03FC

SERRATED BACK KNIFE CUTTERHEAD



Cutterhead can be equipped with 2 or 4 knives.
The serrated back profile knives assure perfect positioning. The tool is supplied without knives (code CT050S). These knives can be found on the pertinent table and can be profiled on request.
The head can also be equipped with HW tipped knives.


SPECIAL EXECUTION ON REQUEST!
ALSO WITH LIMITOR FOR "MAN" FEED




Item	Dimension	1-2 pcs.	3-10 pcs.	over 10 pcs.
6TS03FC06040	122 x 40 x 40 Z4			
6TS03FC15040	122 x 60 x 40 Z4			
6TS03FC17040	122 x 80 x 40 Z4			
6TS03FC19040	122 x 100 x 40 Z4			
6TS03FC21040	122 x 130 x 40 Z4			
6TS03FC23040	122 x 150 x 40 Z4			
6TS03FC25040	122 x 180 x 40 Z4			
6TS03FC27040	122 x 230 x 40 Z4			

Item	Dimension	1-2 pcs.	3-10 pcs.	over 10 pcs.
6TS03FC29040	137 x 50 x 50 Z4			
6TS03FC30040	137 x 60 x 50 Z4			
6TS03FC31040	137 x 80 x 50 Z4			
6TS03FC33040	137 x 100 x 50 Z4			
6TS03FC36040	137 x 130 x 50 Z4			
6TS03FC39040	137 x 150 x 50 Z4			
6TS03FC42040	137 x 180 x 50 Z4			
6TS03FC43040	137 x 230 x 50 Z4			


we can supply also with different dimensions, bores and teeth on request
we can supply also cutterheads suitable for knives 4, 5, 6 mm on request



HSS T= 8



TCT T= 10



TCT SUPERPAC T= 10

Stark Performance!
Industrial-Line

TH74FA



SPIRAL PLANING CUTTERHEAD WITH 14x14x2 KNIVES

Planer Cutterhead with HW reversible knives It can be the right choice for medium finishing surfaces with low chip removal

TH74FA - light alloy body

ITEM	Diam	B	helix	Knives
6TH74FA01	70	90	4	14
6TH74FA05	80	90	4	14
6TH74FA10	100	100	4	16
6TH74FA15	125	100	4	16
6TH74FA16	125	130	4	20
6TH74FA17	125	180	4	28
6TH74FA18	125	230	4	36
6TH74FA19	125	240	4	38
6TH74FA25	125	100	6	27
6TH74FA26	125	130	6	30
6TH74FA27	125	180	6	42
6TH74FA28	125	230	6	54
6TH74FA35	140	100	6	27
6TH74FA36	140	130	6	30
6TH74FA37	140	180	6	42
6TH74FA38	140	230	6	54
6TH74FA45	140	100	8	32
6TH74FA46	140	130	8	40
6TH74FA47	140	180	8	56
6TH74FA48	140	230	8	72

TH74FM - steel body

ITEM	Diam	B	helix	Knives
6TH74FM01	70	90	4	14
6TH74FM05	80	90	4	14
6TH74FM10	100	100	4	16
6TH74FM15	125	100	4	16
6TH74FM16	125	130	4	20
6TH74FM17	125	180	4	28
6TH74FM18	125	230	4	36
6TH74FM19	125	240	4	38
6TH74FM25	125	100	6	27
6TH74FM26	125	130	6	30
6TH74FM27	125	180	6	42
6TH74FM28	125	230	6	54
6TH74FM35	140	100	6	27
6TH74FM36	140	130	6	30
6TH74FM37	140	180	6	42
6TH74FM38	140	230	6	54
6TH74FM45	140	100	8	32
6TH74FM46	140	130	8	40
6TH74FM47	140	180	8	56
6TH74FM48	140	230	8	72

bore 40-45-50-60 - other dimension on request


Stark Performance!
Industrial-Line

TH72FA

SPIRAL PLANING CUTTERHEAD WITH REVERSIBLE KNIVES

Planer Cutterhead with HW reversible rounded knives 15x15x2,2

It can be the right choice for high finishing surfaces with high chip removal




TH72FA - light alloy body

ITEM	Diam	B	helix	Knives
6TH72FA51	70	80	4	14
6TH72FA55	80	80	4	14
6TH72FA60	100	100	4	18
6TH72FA65	125	100	4	18
6TH72FA66	125	130	4	26
6TH72FA67	125	180	4	34
6TH72FA68	125	230	4	46
6TH72FA75	125	100	6	27
6TH72FA76	125	130	6	39
6TH72FA77	125	180	6	51
6TH72FA78	125	230	6	69
6TH72FA85	140	100	6	27
6TH72FA86	140	130	6	39
6TH72FA87	140	180	6	51
6TH72FA88	140	230	6	69
6TH72FA95	140	100	8	36
6TH72FA96	140	130	8	52
6TH72FA97	140	180	8	68
6TH72FA98	140	230	8	92

TH72FM - steel body

ITEM	Diam	B	helix	Knives
6TH72FM51	70	80	4	14
6TH72FM55	80	80	4	14
6TH72FM60	100	100	4	18
6TH72FM65	125	100	4	18
6TH72FM66	125	130	4	26
6TH72FM67	125	180	4	34
6TH72FM68	125	230	4	46
6TH72FM75	125	100	6	27
6TH72FM76	125	130	6	39
6TH72FM77	125	180	6	51
6TH72FM78	125	230	6	69
6TH72FM85	140	100	6	27
6TH72FM86	140	130	6	39
6TH72FM87	140	180	6	51
6TH72FM88	140	230	6	69
6TH72FM95	140	100	8	36
6TH72FM96	140	130	8	52
6TH72FM97	140	180	8	68
6TH72FM98	140	230	8	92

TP10FC




Planing cutterhead

High tensile steel tool body fitted with four HS planing knives. Positioning of the 30 x 3 mm regrindable knives with appropriate gauge. Tool fitting with Tungsten Carbide planing knives on request.

item STEEL BODY TP10	D	B	bore	z	net price		availability
	[mm]	[mm]	[mm]		1-2 pcs	over 3 pcs	
6TP10FC21	125	80	40	4			
6TP10FC22	125	100	40	4			
6TP10FC23	125	120	40	4			
6TP10FC24	125	130	40	4			
6TP10FC25	125	150	40	4			
6TP10FC32	125	160	40	4			
6TP10FC26	125	170	40	4			
6TP10FC27	125	180	40	4			
6TP10FC28	125	190	40	4			
6TP10FC29	125	210	40	4			
6TP10FC30	125	230	40	4			
6TP10FC31	125	240	40	4			
6TP10FC33	125	250	40	4			

TP20FA



Planing cutterhead

Light alloy tool body fitted with four HS planing knives. Positioning of the 30 x 3 mm regrindable knives with appropriate gauge. Tool fitted with Tungsten Carbide planing knives on request.

item LIGHT ALLOY BODY	D	B	bore	z	net price		availability
	[mm]	[mm]	[mm]		1-2 pcs	over 3 pcs	
6TP20FA06	125	60	40	4			
6TP20FA07	125	80	40	4			
6TP20FA08	125	100	40	4			
6TP20FA01	125	120	40	4			
6TP20FA02	125	130	40	4			
6TP20FA03	125	150	40	4			
6TP20FA11	125	160	40	4			
6TP20FA04	125	180	40	4			
6TP20FA09	125	190	40	4			
6TP20FA05	125	230	40	4			
6TP20FA10	125	240	40	4			
6TP20FA12	125	250	40	4			


* ready on stock

Stark Performance!
Industrial-Line

TY10FB

Hydro planing blocks

New performing hydro planing blocks for high feed rate
Equipped with HSS knives or HW tipped on request for hard woods



RADIAL alignment of
grease nipples




Maximum bush
clamping pressure:
450 Bar

STARK HYDRO SYSTEM TY10FB RADIAL NIPPLES BLOCKS PLANER HEADS


item	Dimension	bore	Z	1 Pc.	2-4 Pcs	6-8 Pcs.
				[€/Pz]	[€/Pz]	[€/Pz]
cutting angle 27°	6TY10FB12	163x60	40-60	4		
	6TY10FB13	163x100	40-60	4		
	6TY10FB14	163x130	40-60	4		
	6TY10FB15	163x150	40-60	4		
	6TY10FB17	163x160	40-60	4		
	6TY10FB91	163x170	40-60	4		
	6TY10FB16	163x180	40-60	4		
	6TY10FB18	163x230	40-60	4		
	6TY10FB20	163x240	40-60	4		
	6TY10FB19	163x260	40-60	4		
	6TY10FB21	163x310	40-60	4		
cutting angle 27°	6TY10FB22	163x60	40-60	6		
	6TY10FB23	163x100	40-60	6		
	6TY10FB24	163x130	40-60	6		
	6TY10FB25	163x150	40-60	6		
	6TY10FB27	163x160	40-60	6		
	6TY10FB92	163x170	40-60	6		
	6TY10FB26	163x180	40-60	6		
	6TY10FB28	163x230	40-60	6		
	6TY10FB30	163x240	40-60	6		
	6TY10FB29	163x260	40-60	6		
	6TY10FB31	163x310	40-60	6		
cutting angle 27°	6TY10FB	203x100	40-60	6		
	6TY10FB45	203x150	40-60	6		
	6TY10FB48	203x230	40-60	6		
	6TY10FB49	203x260	40-60	6		
	6TY10FB	203x310	40-60	6		
	6TY10FB	203x330	40-60	6		

STARK HYDRO SYSTEM TY10FB RADIAL NIPPLES BLOCKS PLANER HEADS

	item	Dimension	bore	Z	1 Pc.	2-4 Pcs	6-8 Pcs.
					[€/Pz]	[€/Pz]	[€/Pz]
cutting angle 27°	6TY10FB32	163x60	40-60	8			
	6TY10FB33	163x100	40-60	8			
	6TY10FB34	163x130	40-60	8			
	6TY10FB35	163x150	40-60	8			
	6TY10FB37	163x160	40-60	8			
	6TY10FB36	163x180	40-60	8			
	6TY10FB38	163x230	40-60	8			
	6TY10FB39	163x260	40-60	8			
	6TY10FB00	163x310	40-60	8			
cutting angle 27°	6TY10FB	203x100	40-60	8			
	6TY10FB55	203x150	40-60	8			
	6TY10FB58	203x230	40-60	8			
	6TY10FB59	203x260	40-60	8			
	6TY10FB61	203x310	40-60	8			
	6TY10FB	203x330	40-60	8			
cutting angle 23°	6TY10FB63	203x100	40-60	10			
	6TY10FB65	203x150	40-60	10			
	6TY10FB67	203x160	40-60	10			
	6TY10FB68	203x230	40-60	10			
	6TY10FB69	203x260	40-60	10			
	6TY10FB71	203x310	40-60	10			
	6TY10FB	203x330	40-60	10			
cutting angle 23°	6TY10FB73	203x100	40-60	12			
	6TY10FB75	203x150	40-60	12			
	6TY10FB78	203x230	40-60	12			
	6TY10FB79	203x260	40-60	12			
	6TY10FB81	203x310	40-60	12			
	6TY10FB	203x330	40-60	12			



- 1 Body
- 2 Clamping ledge
- 3 Clamping screws
- 4 Planing knife
- 5 Filling valve
- 6 Screw for grease pressure relief



- a Cutter position when new
- b Minimum cutter clamping length
- c Max. adjustment of a resharpener


Stark Performance!

Industrial-Line

TY11FB

Hydro planing blocks

New performing hydro planing blocks for high feed rate equipped with HSS knives or HW tipped on request for hard woods



AXIAL alignment of
grease nipples



Maximum bush
clamping pressure:
450 Bar


STARK HYDRO SYSTEM TY11FB AXIAL NIPPLES BLOCKS PLANER HEADS

item	Dimension	bore	Z	1 Pc.	2-4 Pcs	6-8 Pcs
				[€/Pz]	[€/Pz]	[€/Pz]
cutting angle 27°	6TY11FB12	163x60	40-60	4		
	6TY11FB13	163x100	40-60	4		
	6TY11FB14	163x130	40-60	4		
	6TY11FB15	163x150	40-60	4		
	6TY11FB17	163x160	40-60	4		
	6TY11FB91	163x170	40-60	4		
	6TY11FB16	163x180	40-60	4		
	6TY11FB18	163x230	40-60	4		
	6TY11FB20	163x240	40-60	4		
	6TY11FB19	163x260	40-60	4		
	6TY11FB21	163x310	40-60	4		
cutting angle 27°	6TY11FB22	163x60	40-60	6		
	6TY11FB23	163x100	40-60	6		
	6TY11FB24	163x130	40-60	6		
	6TY11FB25	163x150	40-60	6		
	6TY11FB27	163x160	40-60	6		
	6TY11FB92	163x170	40-60	6		
	6TY11FB26	163x180	40-60	6		
	6TY11FB28	163x230	40-60	6		
	6TY11FB0	163x240	40-60	6		
	6TY11FB29	163x260	40-60	6		
	6TY11FB31	163x310	40-60	6		
cutting angle 27°	6TY11FB45	203x100	40-60	6		
	6TY11FB45	203x150	40-60	6		
	6TY11FB48	203x230	40-60	6		
	6TY11FB49	203x260	40-60	6		
	6TY11FB49	203x310	40-60	6		
	6TY11FB49	203x330	40-60	6		
cutting angle 27°	6TY11FB32	163x60	40-60	8		
	6TY11FB33	163x100	40-60	8		
	6TY11FB34	163x130	40-60	8		
	6TY11FB35	163x150	40-60	8		
	6TY11FB37	163x160	40-60	8		
	6TY11FB36	163x180	40-60	8		
	6TY11FB38	163x230	40-60	8		
	6TY11FB39	163x260	40-60	8		
	6TY11FB41	163x310	40-60	8		




STARK HYDRO SYSTEM TY11FB AXIAL NIPPLES BLOCKS PLANER HEADS

item	Dimension	bore	Z	1 Pc.	2-4 Pcs	6-8 Pcs
				[€/Pz]	[€/Pz]	[€/Pz]
cutting angle 27°	6TY11FB	203x100	40-60	8		
	6TY11FB55	203x150	40-60	8		
	6TY11FB58	203x230	40-60	8		
	6TY11FB59	203x260	40-60	8		
	6TY11FB61	203x310	40-60	8		
	6TY11FB61	203x330	40-60	8		
cutting angle 23°	6TY11FB63	203x100	40-60	10		
	6TY11FB65	203x150	40-60	10		
	6TY11FB68	203x230	40-60	10		
	6TY11FB69	203x260	40-60	10		
	6TY11FB71	203x310	40-60	10		
	6TY11FB	203x330	40-60	10		
cutting angle 23°	6TY11FB73	203x100	40-60	12		
	6TY11FB75	203x150	40-60	12		
	6TY11FB78	203x230	40-60	12		
	6TY11FB79	203x260	40-60	12		
	6TY11FB81	203x310	40-60	12		
	6TY11FB	203x330	40-60	12		
cutting angle 20°	6TY11FB	203x100	40-60	14		
	6TY11FB	203x150	40-60	14		
	6TY11FB	203x230	40-60	14		
	6TY11FB	203x260	40-60	14		
	6TY11FB	203x310	40-60	14		
	6TY11FB	203x330	40-60	14		
cutting angle 20°	6TY11FB	203x100	40-60	16		
	6TY11FB85	203x150	40-60	16		
	6TY11FB88	203x230	40-60	16		
	6TY11FB89	203x260	40-60	16		
	6TY11FB90	203x310	40-60	16		
	6TY11FB	203x330	40-60	16		



- 1 Body
- 2 Clamping ledge
- 3 Clamping screws
- 4 Planing knife
- 5 Filling valve
- 6 Screw for grease pressure relief




- a Cutter position when new
- b Minimum cutter clamping length
- c Max. adjustment of a resharpened cutter

TY30-31FB

Hydro moulding blocks


New performing hydro moulding blocks for high feed rate



STARK

TY30

RADIAL alignment of
grease nipples



TY31

AXIAL alignment of
grease nipples

Maximum bush
clamping pressure:
450 Bar

STARK HYDRO SYSTEM TY30-31FB AXIAL OR RADIAL NIPPLES BLOCKS FOR MOULDING

item	Dimension	bore	Z	1 Pc. [€/Pz]	2-4 Pcs [€/Pz]	over 6 pcs [€/Pz]
6TY30FB17	152x60	40/45/50/60	4	on request		
6TY30FB18	152x100	40/45/50/60	4			
6TY30FB	152x130	40/45/50/60	4			
6TY30FB19	152x150	40/45/50/60	4			
6TY31FB05	152x180	40/45/50/60	4			
6TY30FB20	152x230	40/45/50/60	4			
6TY30FB20	152x310	40/45/50/60	4			
6TY30FB21	152x60	40/45/50/60	6	on request		
6TY30FB03	152x100	40/45/50/60	6			
6TY30FB04	152x130	40/45/50/60	6			
6TY30FB05	152x150	40/45/50/60	6			
6TY30FB06	152x180	40/45/50/60	6			
6TY30FB07	152x230	40/45/50/60	6			
6TY30FB08	152x260	40/45/50/60	6			
6TY30FB08	152x310	40/45/50/60	6			
6TY30FB22	163x60	40/45/50/60	8	on request		
6TY30FB10	163x100	40/45/50/60	8			
6TY30FB11	163x130	40/45/50/60	8			
6TY30FB12	163x150	40/45/50/60	8			
6TY31FB35	163x180	40/45/50/60	8			
6TY30FB13	163x230	40/45/50/60	8			
6TY30FB14	163x260	40/45/50/60	8			
6TY30FB	163x310	40/45/50/60	8			
6TY30FB	190x60	40/45/50/60	10	on request		
6TY30FB	190x100	40/45/50/60	10			
6TY30FB	190x130	40/45/50/60	10			
6TY30FB	190x150	40/45/50/60	10			
6TY31FB	163x180	40/45/50/60	10			
6TY30FB	190x230	40/45/50/60	10			
6TY30FB	190x260	40/45/50/60	10			
6TY30FB	190x310	40/45/50/60	10			
6TY30FB	215x60	40/45/50/60	12	on request		
6TY30FB	215x100	40/45/50/60	12			
6TY30FB	215x130	40/45/50/60	12			
6TY30FB	215x150	40/45/50/60	12			
6TY31FB	163x180	40/45/50/60	12			
6TY30FB	215x230	40/45/50/60	12			
6TY30FB	215x260	40/45/50/60	12			
6TY30FB	215x310	40/45/50/60	12			

TH34FM

ROUNDING AND BEVELLING SET


Top and bottom cutterheads can be equipped with 6 different profiled knives. This set is suitable for left and right spindle moulders machines.

**Radius 2-3-4-5-6 and 45°
OPTIONAL**




Messer

Type	Dim./Dim./Abm.	R	Art. Nr.	Nr. pz./pc./St.	€ pz./pc./St.
	20x20,5x2	2	602017	2	
	20x20,5x2	3	602019	2	
	20x20,5x2	4	602021	2	
	20x20,5x2	5	602023	2	
	20x20,5x2	6	602025	2	
	20x20,5x2	$\alpha=45^\circ$	602026	2	



D	B	d	Z	V	RPM	ART.	€
154		40	3		9500	TH34FM10	

Set included of knives (to specify which are required when ordering) and spacers.



JOINTEX

REVOLUTION IN FINGER JOINTING

Finger jointing cutter

High performance modular cutter system with patented knife clamping for longitudinal glue jointing (DIN 68140), optional with 4 - 12 PVD-coated powder HS-knives for highly stressed structural components in engineered timber construction (DIN 1052), window tooling and laminar profiling. Cutters with steel body, locked against rotation, knife base side clamping for fast and easy knife change, suitable for mechanical feed only.

**ACTION
PLAN**

Fräskopf ohne Messer | Cutter excluding knives

Ø D mm	B mm	Ø d mm	Z	RPM max	Art. Nr.	€
129 (160)	30,4		4	8500	TG06FC03	
129 (160)	30,4		6	8500	TG06FC13	
218 (250)	30,4		6	5500	TG06FC04	
218 (250)	30,4		8	5500	TG06FC14	
218 (250)	30,4		10	5500	TG06FC18	
218 (250)	30,4		12	5500	TG06FC28	

TG06FC04 250 x 30,4 bore 50 Z=3+3

CGMZOS72 10-11 28,5 x 40 x 14,1

